
Brown Acid™ Fuzz

The MXR Brown Acid Fuzz delivers psychedelic silicon saturation. Based on a classic 1970s UK fuzz circuit, this pedal's simple three-knob interface allows you to plug in and tune out in no time at all.

External Controls



- 1 OUTPUT knob sets overall volume of effect
- 2 TONE knob controls overall EQ
- 3 FUZZ knob controls intensity of fuzz
- 4 FOOTSWITCH toggles effect on/bypass (blue LED indicates on)

Basic Operation

Power

The Brown Acid™ Fuzz is powered by one 9-volt battery (remove bottom plate to install), the Dunlop ECB003 9-volt adapter, or the DC Brick™, Iso-Brick™, and Mini Iso-Brick™ power supplies.

Directions

- 1 Run a cable from your guitar to the CSP038's INPUT jack and run another cable from the CSP038's OUTPUT jack to your amplifier.
- 2 Start with all knobs set to 12 o'clock.
- 3 Turn the effect on by depressing the footswitch.
- 4 Rotate the OUTPUT knob clockwise to increase overall volume or counterclockwise to decrease it.
- 5 Rotate TONE knob clockwise for a brighter tone or counterclockwise for a warmer tone.
- 6 Rotate the FUZZ knob clockwise to increase fuzz intensity or counterclockwise to decrease it.

Specifications

Input Impedance	40 K Ω
Output Impedance	< 110 k Ω
Noise Floor*	-79 dBV
Gain Range	20 dB to 57 dB @ 1 kHz
Bypass	True Hardwire
Current Draw	2.6 mA
Power Supply	9 VDC

* A-weighted, all controls mid position